Indiana Department of Labor Indiana Occupational Safety and Health Administration 402 West Washington Street Room W195

Indianapolis, IN 46204-2571

Phone: 317/232-1979 Fax: 317/233-8509



defee mail # 7003 1010 0003 5797 6836

Safety Order and Notification of Penalty

To:

Phoenix of Tennessee, Inc., and its successors 1100 Tuckahoe Drive Nashville, TN 37207

Inspection Site:

1725 E CR 1250 S Haubstadt, IN 47639 **Inspection Number:**

311847461

Inspection Date(s):

05/17/2008 - 08/19/2008

Issuance Date:

09/04/2008

The violation(s) described in this Safety Order and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

An inspection of your place of employment has revealed conditions which we believe do not comply with the provisions of the Indiana Occupational Safety and Health Act (Indiana Code Chapter 22-8-1.1) or the standards or rules adopted thereunder. Accordingly, enclosed please find safety order(s) and notification(s) of penalty describing such violation(s) with references to applicable standards, rules, or provisions of the statute and stating the amount of any penalty(ies).

Informal Conference - Please be advised that it may be possible to informally settle any potential dispute without initiating the more elaborate proceedings brought on by a petition for review. Prior to filing a petition for review, you may request an informal conference concerning any of the results of the inspection (safety orders, penalties, abatement dates, etc.) by contacting the Indiana Department of Labor/IOSHA, preferably by telephone, in a prompt manner. Please be advised that a request for an informal conference cannot extend the fifteen working day period for filing a petition for review. Informal conferences frequently resolve any possible disputes, and therefore you are urged to take advantage of this opportunity. Because of the limited time period and in order to facilitate scheduling, any requests for an informal conference should be made promptly upon your receipt of the safety order(s) and notification(s) of penalty.

Right to Contest - You are hereby also notified that you are entitled to seek administrative review of the safety order(s), penalty(ies), or both by filing a written petition for review at the above address postmarked within fifteen working days of your receipt of the safety order(s) and notification(s) of penalty. ("Working days" means Mondays through Fridays, but does not include Saturdays, Sundays, legal holidays under a state statute or days

IOSHA PENALTY ASSESSMENT WORKSHEET

			Good Faith 25 15 0	1						1,04	1,03	1,02	1,01	Number	Alleged Violation		-	Inspection #	Employer	
Reviewed by	Prepared by		Penalty adjustment ractors in percents Total	ı						1926.251(a)(1)	1926.105(a)	1926.104(b)	1926.104(a)	Standards Allegedly Violated			2		yer Phoenix of TN, dba/All About Towers	
J V	ÿ									S	S	S			,Я (Я, О, Х	Type	3		ut Tower	
			Total proposed penalty to be assessed to employer							×	×	×	×	greater lesser high med low	Probability				S	
			otal proposed penalty t assessed to employer											esser h			4			
		emplo		d penalt employ	6. TOTAL	-		-	ŀ		×	×	×	×	gh me	Severity				
1	i		ty to be											d low	rity					
Date_	Date _			\$20,000.00						5000.00	5000.00	5000.00	5000.00	Penalty	Unadjusted		5			
			\$10,000.00 SX	ર						2500.00	2500.00	2500.00	2500.00 -	Penalty	Adjusted		8			
											P	P	ф	Date	Abatement		10			
	Date employ	Date order sent	proposed I	15. TOTAL										Follow-up	Date of		==			
	Date employer received notice Date & amount of penalties remitted	ent	proposed penalties sent	of additional										Abatement	Number of Days Over		12			
	notice es remitted		notice											For	Assessed	Number of Days	13			
														Abate	Failure To	Proposed	14			
											•									

on which the Indiana Department of Labor's offices are closed during regular business hours). If you do not file such a petition for review (contest), the safety order(s) and penalty(ies) shall be deemed final orders of the Board of Safety Review and not subject to review by any court or agency. The issuance of a safety order does not constitute a finding that a violation has occurred unless no petition for review is filed, or if a petition for review (contest) is filed, it must contain a statement of its basis and should reference the above inspection number. Upon receipt of your petition for review, we will affirm, amend or dismiss the safety order(s) and notification(s) of penalty. If we affirm, your petition for review will be granted (unless it was not timely) and the dispute will be certified by the Board of Safety Review for further proceedings. The Board of Safety Review is an independent agency appointed by the governor with authority to conduct hearings and to issue decisions concerning disputed safety order(s) and notification(s) of penalty. If we amend the safety order(s) or notification(s) of penalty, your petition for review shall be deemed moot. However, you will then be given an opportunity to file a petition for review concerning the amended safety order(s) and notification(s) of penalty.

Please be advised that an employee or representative of employees may file a petition for review to contest the reasonableness of the time stated in the safety order(s) for the abatement of any violation.

Posting - Upon receipt of any safety order(s) you are required to post such safety order(s), or a copy thereof, unedited, at or near each place an alleged violation referred to in the safety order(s) occurred. However, if your operations are such that it is not practicable to post the safety order(s) at or near each place of alleged violation, such safety order(s) shall be posted, unedited, in a prominent place where it will be readily observable by all affected employees. For example, if you are engaged in activities which are physically dispersed, the safety order(s) may be posted at the location from which the employees operate to carry out their activities. You must take steps to ensure that the safety order is not altered, defaced, or covered by other material. Posting shall be until the violation is abated, or for three working days, whichever is longer.

Penalties - Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Abatement does not constitute payment of penalties.

Abatement - The conditions cited in the safety order(s) must be corrected (abated) on or before the date shown for each item on the safety order(s) and notification(s) of penalty unless:

- (1) You file a petition for review concerning the violation, in which case the full abatement period shall commence from the issuance of a final decision by the Board of Safety Review or the courts which requires compliance with the safety order; or
 - (2) The abatement period is extended by the granting of a petition for modification of abatement date.

PMAs - The petition for modification of abatement date is a manner in which you may seek additional time to correct (abate) a violation without having to file a petition for review concerning the safety order, or after the expiration of the time period to file such a petition for review when it becomes apparent that you need extra time to abate the violation. A petition for modification of abatement date shall be in writing and shall include the following information:

- (1) All steps you have taken, and the dates of such actions, in an effort to achieve compliance during the prescribed abatement period.
 - (2) The specific additional abatement time necessary in order to achieve compliance.
- (3) The reasons such additional time is necessary, including the unavailability of professional or technical personnel or of materials and equipment, or because necessary construction or alteration of facilities cannot be completed by the original abatement date.
- (4) All available interim steps being taken to safeguard employees against the cited hazard during the abatement period.
- (5) A certification that a copy of the petition has been posted, and if appropriate, served on the authorized representative of affected employees, and a certification of the date upon which such posting and service was made.

A petition for modification of abatement date shall be filed with the Indiana Department of Labor/IOSHA no later than the close of the next working day following the date on which abatement was originally required. A later-filed petition shall be accompanied by the employer's statement of exceptional circumstances explaining the delay. A copy of such petition shall be posted in a conspicuous place where all affected employees will have notice thereof or near such location where the violation occurred. The petition shall remain posted until the time period for the filing of a petition for review of the Commissioner's granting or denying the petition expires. Where affected employees are represented by an authorized representative, said representative shall be served a copy of such petition.

Notification of Corrective Action - Correction of the alleged violations which have an abatement period of thirty (30) days or less should be reported in writing to us promptly upon correction. A "Letter of Abatement" form and an "Abatement Photographs" worksheet are enclosed for your assistance in providing adequate documentation of abatement. Reports of corrections should show specific corrective action on each alleged violation and the date of such action. On alleged violations with abatement periods of more than thirty (30) days, a written progress report should be submitted, detailing what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, we should be so advised. Timely correction of an alleged violation does not affect the initial proposed penalty.

Followup Inspections - Please be advised that a followup inspection may be made for the purpose of ascertaining that you have posted the safety order(s) and corrected the alleged violations. Failure to correct an alleged violation may result in additional penalties for each day that the violation has not been corrected.

Employer Discrimination Unlawful - The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the Indiana Department of Labor/IOSHA at the address shown above.

Notice to Employees - The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the Indiana Department of Labor/IOSHA at the address shown above within fifteen (15) working days (excluding weekends and State holidays) or receipt by the employer of this safety order and benalty.

If you wish additional information, you may direct such requests to us at the address or telephone number stated above.

Indiana Department of Labor Indiana Occupational Safety and Health Administration



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with IOSHA to discuss the safety order(s) issued
on 09/04/2008. The conference will be held at the IOSHA office located at 402 West
Washington Street, Room W195, Indianapolis, IN 46204 on at
. Employees and/or representatives of employees have a right to attend
an informal conference.

Indiana Department of Labor

Occupational Safety and Health Administration

Inspection

311847461


Number:

Inspection Dates:

Issuance Late:

05/17/2008 -

08/19/2008 09/04/2008



Company Name:

Phoenix of Tennessee, Inc.

Inspection Site:

1725 E CR 1250 S, Haubstadt, IN 47639



Safety Order 1 Item 1 Type of Violation:

Serious

29 CFR 1926.104(a): Lifelines, safety belts and lanyards were not used exclusively for employee safeguarding:

Haubstadt, IN job-site - On May 16, 2008, an employee climbed down the equipment rope using a Fisk Descender and no independent back-up system. The equipment rope, which was a dynamic kern-mantle rope, was routinely used for moving material up/down the tower and was not suitable for life safety purposes.

Date By Which Violation Must be Abated:

Corrected During Inspection

Proposed Penalty:

\$2,500.00

Safety Order 1 Item 2 Type of Violation:

Proposed Penalty:

Serious

29 CFR 1926.104(b): Lifelines were not secured above the point of operation to an anchorage or structural member capable of supporting a minimum dead weight of 5,400 pounds:

Haubstadt, IN job-site - On May 16, 2008, an employee climbed down the equipment rope using a Fisk Descender and no independent back-up system. The equipment rope, which was a dynamic kernmantle rope, was fastened to the tower with an open hook and a hand-line block (Bethea Tool & Equipment, HLB-1250). The hook was rated at 1 ton (2,000 pounds) and the block/sheave assembly was rated at 1,250 pounds.

Date By Which Violation Must be Abated:

Corrected During Inspection

\$2,500.00

Indiana Department of Labor

Occupational Safety and Health Administration

Inspection

311847461

Number:

Inspection Dates:

05/17/2008 -08/19/2008

ssuance Date:

09/04/2008



Safety Order and Notification of Penalty

Company Name:

Phoenix of Tennessee, Inc.

Inspection Site:

1725 E CR 1250 S, Haubstadt, IN 47639

Safety Order 1 Item 3 Type of Violation:

Serious

29 CFR 1926.105(a): Safety nets were not provided when workplaces are more than 25 feet above the ground and where the use of ladders, scaffolds, catch platforms, temporary floors, safety lines or safety belts is impractical:

Haubstadt, IN job-site - On May 16, 2008, an employee working at an elevation of just under 200' climbed down the equipment rope using a Fisk Descender and no independent back-up system. Neither a safety net nor safety line was in use.

Date By Which Violation Must be Abated: **Proposed Penalty:**

Corrected During Inspection \$2,500.00

Safety Order 1 Item 4 Type of Violation:

Serious

29 CFR 1926.251(a)(1): Defective rigging equipment was not removed from service:

Haubstadt, IN job-site - On May 16, 2008 and at times prior thereto, the equipment rope routinely used by the towerhands to raise and lower material such as but not limited to panel antenna assemblies was attached to the platform at the top of the tower with an open hook (Bethea Tool & Equipment p/n SH). This hook was missing the safety latch ("keeper").

Date By Which Violation Must be Abated: **Proposed Penalty:**

Corrected During Inspection \$2,500.00

Robert A. Kattau

Director, Industrial Compliance

Indiana Department of Labor

Indiana Occupational Safety and Health Administration 402 West Washington Street Room W195

Indianapolis, IN 46204-2571

Phone: 317/232-1979 Fax: 317/233-8509



INVOICE/DEBT COLLECTION NOTICE

Comp	any	Name	:

Phoenix of Tennessee, Inc.

Inspection Site:

1725 E CR 1250 S, Haubstadt, IN 47639

Issuance Date:

09/04/2008

Summary of Penalties for Inspection Number

311847461

Safety Order 01, Serious

Total Proposed Penalties

\$10,000.00 \$10,000.00

Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Make your check or money order payable to: "Indiana DOL/IOSHA". Please indicate IOSHA's Inspection Number (indicated above) on the remittance.

IOSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.

Corrective action, taken by you for each alleged violation should be submitted to this office on or about the abatement dates indicated on the Safety Order and Notification of Penalty.

A work sheet has been provided to assist in providing the required abatement information. A completed copy of this work sheet should be posted at the worksite with the safety order(s).


Robert A. Kattau

Director, Industrial Compliance

Page 1 of 1

Photo Mounting Work Sheet

Indiana Department of Labor Occupational Safety and Health Administration



IOSHA Complaint or Inspection Num	ıber:	Photo ID N	umber: <u>DSCN4065</u>
Date of Photo: May 17, 2008 Tir	ne of Photo:11:15 ar	m CDT am / pm	Trade Secret: Yes / No (circle one)
Classified Material: Yes / No Name (circle one)	e of Photographer:	Scott Frosch	
Safety Order Number:	Item:	Insta	nce:
Location (Photo and Photographer):looking north toward the tower.	CSHO in driveway	leading to cell tow	er compound. CSHO is
Description of Hazard / Abatement:_	This tower is owned	by SBA. SBA leas	ses the ground from the
neighboring landowner. SBA rents	space on their towers to	cellular phone carr	towers. In this case, AT&T.
AT&T hires contractors to install, hired General Dynamics to oversee	maintain, replace, etc., un	vices on a series of c	ell towers. General
Dynamics subcontracted All Arour at the very beginning of this process	nd Towers to perform the	work on this partic	ular tower. The crew was
(This section for IOSHA only)	Ont Report N	Jumber:	and the second s

Photo Mounting Work Sheet

Indiana Department of Labor
Occupational Safety and Health Administration



TOSHA Complaint of hispection Number	J	Photo ID N	umber:DSCN4070
Date of Photo: May 17, 2008 Time		(circle one)	(circle one)
Classified Material: Yes / No Name of (circle one)	of Photographer:	Scott Frosch	
Safety Order Number:	Item:	Insta	nce:
Location (Photo and Photographer):looking north toward the tower.	CSHO in driveway lea	iding to cell tow	er compound. CSHO is_
Description of Hazard / Abatement: The tower is owned by SBA Towers			
The sign shows a company website, v 1-888-950-7483.			
(This section for IOSHA only)			
CSHO Number: <u>L6770</u>	Opt. Report Numl	ber:	

U.S. Department of Labor Occupational Safety and Health Administration



Inspection Report

Fri Aug 29, 2008 2:45PM			4		
Rpt ID	Assignment Nr.	CSHO ID	Supervisor ID	Inspection Nr.	Opt. Insp. Nr.
0551800	915194138	L6770	*	311847461	

Establishment Na	me	Phoenix of Tennessee, Inc.						
Site Address	1725 E CR 1250 S	Site Phone			Site Fax			
,	Haubstadt, IN 47639	Other						
Mailing Address	1100 Tuckahoe Drive	Mail Phone	Mail Phone 615-860 9712		Mail Fax	615-960-2342		
	Nashville, TN 37207	Other						
Controlling Corp	·	Employer II)	20-342-8443				
Ownership	A. Private Sector	City	2060	!	County	051		
Legal Entity	A. Corporation	Previous Ac	tivity ((State Only)				

			Re	lated Activity			
Туре	Number	Satisfied		Туре	Number	Satisfied	
A. FATCAT	100992064						

Employed in Establishment	4 Advance Notice?	No	Category	S. Safety
Covered By Inspection	4 Union?	No		
Controlled By Employer	45 Walkaround?	No	Interviewed?	Yes

SIC Inspected	Primary SIC	1799	Secondary SIC	
NAICS Inspected	Primary NAICS	238990	Secondary NAICS	

Inspection Type	A. FATCAT	Reason No Inspection
Scope of Inspection	B. Partial Inspection	
Classification	Safety Construction	
National Emphasis		
Local Emphasis		
Strategic Initiatives		

Anticipatory Warrant Served?	No	Denial Date	Date ReEntered	Date ReDenied	ReEntered
Anticipatory Subpoena Served?	No		<u></u>		
6 176	2	·····			

Entry	اد	17	05/1	\$/2	008	12:00 PM	First Closing Conference	08/1	9/2008	09:00 AM
Opening Conference	L	7	05/1	\$/20	008	12:05 PM	Second Closing Conference			
Walkaround (5	17	05/1	6/2	708	12:15 PM	Exit	05/1	6/2008	04:00 PM
Days On Site	7.1	(1	' 5	10		Case Closed		17 (SF)	
							No Citations Issued			

Туре	ID	Optional Information
S	1	203428443

Fri Aug 29, 2008 2:45PM Inspection Nr.311847461

CSHO Signature	Con	Santa	Date	8/28/	8005

OSHA-300A Data

Fri Aug 29, 2008 2:45PM

Establishme		me l	Phoenix of	Tennessee	. Inc.					Own	ership	A	Priva	ite Secto	r	
Controlling			HOCHIA OI	1 CALLEGE CO.						Emp	loyer ID			20-342-8	443	
COIRTONING	Согр															
SUMMAR	Y OSE	IA-3	00A DATA	Log Year	2007	Data No Available			Data Requ			Partial Log Year		N	# Of Weeks	
TRC RAT	rB		1.8	DART	RATE		1.8		Ann Aver Numb Empk	rage ber of	65		Work	l Hours ed by All ployees	112	041
	Nt	mber	of Cases		Nus *Columns sea as o	mber of Du y not appear a the naper fi	ys in same order			Columns	Injury : s may not appo	and Illness ar is sum or	Types	the paper for	.	
(G) Deaths	(H) Days A	way	(I) Job Xfer or Restrict	(J) Other Recordable		ny from Nor D	/m	(M1) Injuries	s	(M2) Skin Disorder	(M3) Respirato Conditio		(4) onings	(*) Hearing Lon	os All C	(*) Other Ulnesse
0	1		0	0	6		0	1		0	0)	0		0
SUMMARY	OSHA	-300/	A DATA	Log Year	2006	Data No Available				a Not uired		Partial Log Year		N	# Of Weeks	
TRC RA	TE		0.0	DART	RATE	7574111103	0.0		Anı Ave Numl	nual erage aber of doyees	1442		Tota Work	al Hours ted by All ployees	;	55
	N	umber	of Cases		*Columns or	ember of D ny not appear	in same order			• Column	injury s may not spp	and Illness car is same o	Types	n the paper fo	m.	
(G) Deaths	(H Days /		(I) Job Xfer or Restrict	(J) Other Recordable	(*)	asy from Nbr I	(*) Days Job Xfer or Restrict	(M1) Injurie	, ,	(M2) Skin Disorde	(M3) Respirat Conditio	ory Poi	M4) onings	(*) Hearing Los	es All	(*) Other Illucia
0	0		0	0	0		0	0		0	0		0	0		0
SUMMARY	OSHA	\-3 0 0	A DATA	Log Year	2005	Data N Availab				a Not puired		Partial Log Year		N	# Of Weeks	
TRC RA	ATE		0.0	DAR	T RATE		0.0		Ave Num	nnual erage nber of oloyees	4	5	Worl	al Hours ked by All aployees	9	0386
×.	7	Vumbe	r of Cases	·	O Calemana or	umber of I isy not appear on the neger	r in come ordel		* *,	* Cohem	Injury na may not sp		nger as c	n the paper fo		
(G) Deaths		I) Away	(I) Job Xfer or Restric	(J) Other Recordable	(a)	way from Nor	(*) Days Job Xfer o Restrict	(M1) Injerie		(M2) Skin Disord	(M3 Respira Condit	tory Po	(M4) isonings	Hearing Lo	All	Other Hines
0)	0	0	0		0	0		0	0		0	0		0

EMPLOYER NAME AND ADDRESS VERIFICATION

TO WHOM SHOULD SAFETY ORDER(S) AND NOTIFICATION OF PENALTY AND/OR FAILURE TO ABATE NOTICE(S) BE SENT:

Person: FRW. S	
Company Name:	Around Yowers
	Tickahoe De 137207
Street Address (if mailing address is	a post office box):
If address is a Rural Route, give dire	ctions:
If address is a Rural Route, give dire	ections:
If address is a Rural Route, give dire	octions:
If address is a Rural Route, give dire	octions:
If address is a Rural Route, give dire	Signature (Note: Your signature is only verifying it
	Signature (Note: Your signature is only verifying to correct name and address of the empleyer)
	Signature (Note: Your signature is only verifying to correct name and address of the empleyer) Fau: Sholz
	Signature (Note: Your signature is only verifying to correct name and address of the empleyer)

U.S. Department of Labor Occupational Safety and Health Administration



Inspection Narrative

ri Aug 29, 2008 2:4	5PM				Inspection Nr.	311847461
•					Opt. Case Number	
Establishment N	ame	Phoenix of T	ennessee, I	nc.		
egal Entity	A. Corporation	on .	Type of Bus	iness		
		Additi	onal Citation	Mailing Addres	ses	
	<u> </u>					
			organized Em	oloyee Groups		
			Union Repr	resentatives		
		•				
			:	:		
		Auth	orized Emplo	yee Representat	ives	
·						

	E	imployer Repre	sentatives Con	tacted		
Name	Title	Credentials Presented	Closing Conference	Opening Conference	Other Management Duties	Walk Around?
Erwin Schultz	Field Superintendant	Yes	No	Yes	No	Yes
Doug Graham	Owner	Yes	Yes	No	Yes	No
Gary Cox	Safety Coordinator	Yes	Yes	No	Yes	No

Fri Aug 29, 2008 2:45PM Inspection Nr. 311847461

		Emplo	yees Interviewed		
Jason Smith 1721 N. Troy Loop Inverness, FL 34453 Voice: (352) 400-5667			Heath Grabenstein 215 Windy Hill Drive Moon Township, PA 1510 Voice: (412) 628-3725	08	
Travis Simpson x Haubstadt, IN 47639 Voice: (443) 248-0938					
		Other 1	Persons Contacted		
Steve Taylor 1732 E. Warrenton Road Haubstadt, IN 47639 Voice: (812) 867-6302					
Entry	05/16/2008	12:00 PM	First Closing Conference	08/19/2008	09:00 AM
Opening Conference	05/16/2008	12:05 PM	Second Closing Conference		03.00 11.01
Walkaround	05/16/2008	12:15 PM	Exit	05/16/2008	04:00 PM
			Case Closed		
Followup Inspection?	Re	eason			
	(Coverage Inform	ation/Additional Comments		
CSHO Signature	Par	Dest &	Date	8/28/20	 >0 R
Accompanied By				1	



INSPECTION CHECKLIST

OPENING CONFERENCE

I explained and/or discussed the following items: (Check all that apply).	
Purpose, nature and scope of the inspection. Indicate scope: Inquired about knowledge of IOSHA and previous inspection(s). Ascertained that employer representative has the authority to set abatement times, accompany on walk-around, etc. Discussed legal authority and right of entry as provided by Indiana Code 22-8-1.1, Section 23.1 (Explain objections in comment section). Inquired about other contractors on the job site. Ask for Union or employee representatives and explained their rights to attend. Non-Union Review the IOSHA 300 logs and calculated DART / TRC rates, if required. Ask about restricted areas or special safety equipment requirements. Explained the employer's rights and obligations on the walk around. Explained interview of employees and what would be discussed. Ascertained if toxic chemicals are used on the job site. (If yes, explain in narrative). Non-Union of the polyment is polyment. Discuss confidentiality of trade secrets. Discuss camera and picture taking of hazards / alleged violations. Discuss and arrange for a closing conference.	
I IOSHA safety poster – Where is it posted? Hazard Communication Program – comments	
∠ Lockout / Tagout Program – comments	_
WALK-AROUND	
 The following rights were explained to all employees who were interviewed: (Check all that apply) To either file a verbal complaint during the course of the inspection or file a written complaint at any time without fear of discrimination. To review all Safety Orders which must be posted. To contest the abatement dates on the Safety Orders within 15 working days if they are inappropriate. To have a closing conference and attend all subsequent hearings at their request. To be informed of the presences of toxics or harmful physical agents and to be trained in the use and to be provided with all necessary personal protective equipment. 	
CLOSING CONFERENCE	
The following items were explained and/or discussed.	
 That Safety Orders (citations) may be issued on each alleged violation and penalties may be proposed. The requirement to post the Safety Orders is for a minimum of 3 days or until abated, whichever is later. Explained that abatement dates exclude holidays. All apparent alleged violations discussed and all abatement dates set. The procedure to get an extension of the abatement times. The required letter to IOSHA to verify abatement. The follow-up inspection and possible penalties for failure to abate in the specified time. The procedures to request a temporary or permanent variance if abatement is not feasible. The right to telephone the IOSHA Division Director to request an informal hearing, or to file a formal written notice of conteither must be done within 15 working days from receipt of the Safety Orders & Notice of Proposed Penalty. The free consultation services provided by the Bureau of Safety, Education and Training. Industrial Hygiene / Safety referral as a continuation of this inspection (if necessary). 	est;
COMMENTS:	

4. Date/Time

May 17, 2008 2:45 pm

1926.104(4)

20. Instance Description - Describe the following:

a) Hazards-Operation/Condition-Accident: An employee climbed down the equipment rope using a Fisk Descender and no independent back-up system. The equipment rope, which was a dynamic kern-mantle rope, was routinely used for moving material up/down the tower and was not suitable for life safety purposes.

The employer is a specialty trade contractor, performing a wide variety of communication tower construction and service work. On this job the employer had been fired to change out existing panel antennas with new, larger units. The goal was increasing both coverage and capacity. After assembling the panel antennas on the ground, the antennas are raised up to the platform and installed on the top of the tower.

To facilitate work coming up over the next couple of days, the employer decided to spend an hour or so getting this particular job-site set up for the actual tower work. The All About Tower crew headed to the job-site about 4pm to take pre-job photos and rig the equipment rope.

This tower is equipped with climbing pegs and an aircraft cable that employees use as fall protection when climbing up/down the foot pegs. The tower hands on this crew all carried rope- and cable-grab devices to use in this application. In this case, the employee climbed up the tower using the foot pegs and cable grab attached to the lifeline and front D-ring of his harness.

Tower-hands routinely use an equipment rope to raise and lower material such as but not limited to panel antenna assemblies up and down the tower. At this job-site, the equipment rope was attached to the platform at the top of the tower with an open hook (see photos) and hand-line block. This hook was missing the safety latch ("keeper"). The purpose of the safety latch is to prevent the hook from hopping off the anchorage. This is important in rigging or other instances where momentary slack or looseness in the system can allow the hook to hop up and off the anchorage, allowing the load (or empty sling) to fall.

Tower-hands routinely use ropes on their job-sites. Some of the ropes are used to raise and lower material, and other ropes are used as life safety lifelines. Ropes used to raise/lower equipment are subjected to loading, and are more likely to become damaged through routine, repetitive use. In addition, equipment ropes are dynamic ("stretchy") and safety ropes are static. Because of these differences, it is imperative that the two sets of ropes never be interchanged. Equipment ropes are used for material, safety ropes are used for people. Period. In this case, the safety rope was left in a bucket on the ground and the employee climbed down the equipment rope.

Pre-job photos were taken of the existing antennas and their mounts and cable connections. These photos allow the supervisor to assess the work that needed to be done

on the platform and how easy/difficult the task would be. Copies of these photos are present on the disc containing the coroner's photos (see Exhibit Log).

After completing these tasks, the employee attached a Fisk Descender to the equipment rope that he had just rigged, and started to rapel down the rope. There was neither a safety net nor was there an independent back-up lifeline system in use as he made this rope descent.

The hook and hand-line block assembly that was attached to the equipment rope was designed and intended for use as an equipment hoisting system. The hook is rated with a working load limit (WLL) of 1 ton. The aluminum hand-line block is rated at 1,250 pounds. Equipment used as part of a personal fall arrest system must be able to withstand a shock load of 5,000 pounds. A 200# person falling 6' would be expected to generate that type of load - thus, this becomes the design criteria. The manufacturer's add in a safety factor when engineering the parts - so equipment intended and rated for human life safety is stronger and more durable than equipment rated for material lifting.

There was a formal safety program that contained disciplinary procedures. However, in this case, there was no evidence of any discipline until after this incident for violations such as occurred during this case. In addition, the competent person, the supervisor on site, failed to perform required inspections and did not fulfill his duties to enforce safe work procedures on the jobsite. This failure on the part of the employer's agent may negate potential claims of employee misconduct.

- b) Equipment: Bethea Tool and Equipment (BTE) hand-line block and safety hook (BTE HLB 1250) see photos. Safety latch ("keeper") on hook. Equipment rope (3/4" dynamic kernmantle).
- c) Location: Haubstadt, IN job-site.
- d) Injury/Illness: Death from falling up to 198' onto crushed rock.
- e) Measurements: One (1) hook with missing safety latch this hook was being used on the equipment rope system. 198' from ground to top of tower. Panel antenna assemblies weighing approximately 100#.

21. Photo Number	Location on Video
Various - see photo log	

- 23. Employer Knowledge: Joe McCraw, supervisor for Phoenix of Tennessee, was on-site at the time of the incident, and was standing at the base of the tower as the employee was atop the platform. Mr. McCraw had years of experience in the tower industry and had control over his job-site and work-crew. The violative conditions were in plain sight and would have been caught if the required job-site inspections had been performed by the employer's representative.
- 24. Comments (Employer, Employee, Closing Conference): The employer's representative Gary Cox, tells CSHO that he wanted to write-up the Supervisor for safety violations on this job, but that he is unable to locate Mr. McCraw and that Joe has not returned to work since the incident (several months ago). The employer's representatives continue, telling CSHO that they provided grief counseling to the victim's

coworkers. Then, those co-workers were fired. CSHO asks why. The employer's representatives state that they were shocked that those towerhands "did not look after each other" and so, they fired them all.

25. Other Employer Information:

26. Classificat	ion:			
Serious	Knowledge	S or O	Repeat?	Willful?
Y	Y	S	N	N

First Repeat	Second Repeat	Repeat Penalty

4. Date/Time

May 17, 2008 2:45 pm

1926,104(6)

20. Instance Description - Describe the following:

a) Hazards-Operation/Condition-Accident: An employee climbed down the equipment rope using a Fisk Descender and no independent back-up system. The equipment rope, which was a dynamic kernmantle rope, was fastened to the tower with an open hook and a hand-line block (Bethea Tool & Equipment, HLB-1250). The hook was rated at 1 ton (2,000 pounds) and the block/sheave assembly was rated at 1,250 pounds.

The employer is a specialty trade contractor, performing a wide variety of communication tower construction and service work. On this job the employer had been fired to change out existing panel antennas with new, larger units. The goal was increasing both coverage and capacity. After assembling the panel antennas on the ground, the antennas are raised up to the platform and installed on the top of the tower.

To facilitate work coming up over the next couple of days, the employer decided to spend an hour or so getting this particular job-site set up for the actual tower work. The All About Tower crew headed to the job-site about 4pm to take pre-job photos and rig the equipment rope.

This tower is equipped with climbing pegs and an aircraft cable that employees use as fall protection when climbing up/down the foot pegs. The tower hands on this crew all carried rope- and cable-grab devices to use in this application. In this case, the employee climbed up the tower using the foot pegs and cable grab attached to the lifeline and front D-ring of his harness.

Tower-hands routinely use an equipment rope to raise and lower material such as but not limited to panel antenna assemblies up and down the tower. At this job-site, the equipment rope was attached to the platform at the top of the tower with an open hook (see photos) and hand-line block. This hook was missing the safety latch ("keeper"). The purpose of the safety latch is to prevent the hook from hopping off the anchorage. This is important in rigging or other instances where momentary slack or looseness in the system can allow the hook to hop up and off the anchorage, allowing the load (or empty sling) to fall.

Pre-job photos were taken of the existing antennas and their mounts and cable connections. These photos allow the supervisor to assess the work that needed to be done on the platform and how easy/difficult the task would be. Copies of these photos are present on the disc containing the coroner's photos (see Exhibit Log).

After completing these tasks, the employee attached a Fisk Descender to the equipment rope that he had just rigged, and started to rapel down the rope. There was neither a safety net nor was there an independent back-up lifeline system in use as he made this rope descent.

The hook and hand-line block assembly that was attached to the equipment rope was designed and intended for use as an equipment hoisting system. The hook is rated with a working load limit (WLL) of 1 ton. The aluminum hand-line block is rated at 1,250 pounds. Equipment used as part of a personal fall arrest system must be able to withstand a shock load of 5,000 pounds. A 200# person falling 6' would be expected to generate that type of load - thus, this becomes the design criteria. The manufacturer's add in a safety factor when engineering the parts - so equipment intended and rated for human life safety is stronger and more durable than equipment rated for material lifting.

There was a formal safety program that contained disciplinary procedures. However, in this case, there was no evidence of any discipline until after this incident for violations such as occurred during this case. In addition, the competent person, the supervisor on site, failed to perform required inspections and did not fulfill his duties to enforce safe work procedures on the jobsite. This failure on the part of the employer's agent may negate potential claims of employee misconduct.

b) Equipment: Bethea Tool and Equipment (BTE) hand-line block and safety hook (BTE HLB 1250) - see photos. Safety latch ("keeper") on hook. Equipment rope (3/4" dynamic kernmantle).

- c) Location: Haubstadt, IN job-site.
- d) Injury/Illness: Death from falling up to 198' onto crushed rock.
- e) Measurements: One (1) hook with missing safety latch this hook was being used on the equipment rope system. 198' from ground to top of tower. Panel antenna assemblies weighing approximately 100#.

21. Photo Number	Location on Video
Various - see photo log	

- 23. Employer Knowledge: Joe McCraw, supervisor for Phoenix of Tennessee, was on-site at the time of the incident, and was standing at the base of the tower as the employee was atop the platform. Mr. McCraw had years of experience in the tower industry and had control over his job-site and work-crew. The violative conditions were in plain sight and would have been caught if the required job-site inspections had been performed by the employer's representative.
- 24. Comments (Employer, Employee, Closing Conference): The employer's representative Gary Cox, tells CSHO that he wanted to write-up the Supervisor for safety violations on this job, but that he is unable to locate Mr. McCraw and that Joe has not returned to work since the incident (several months ago). The employer's representatives continue, telling CSHO that they provided grief counseling to the victim's coworkers. Then, those co-workers were fired. CSHO asks why. The employer's representatives state that they were shocked that those towerhands "did not look after each other" and so, they fired them all.
- 25. Other Employer Information:

26. Classification:	
---------------------	--

Serious	Knowledge	S or O	Repeat?	Willful?
Y	Y	S	N	N

First Repeat	Second Repeat	Repeat Penalty

.

such as occurred during this case. In addition, the competent person, the supervisor on site, failed to perform required inspections and did not fulfill his duties to enforce safe work procedures on the jobsite. This failure on the part of the employer agent may negate potential claims of employee misconduct.

- b) Equipment: Bethea Tool and Equipment (BTE) hand-line block and safety hook (BTE HLB 1250) see photos. Safety latch ("keeper") on hook. Equipment rope (3/4" dynamic kernmantle).
- c) Location: Haubstadt, IN job-site.
- d) Injury/Illness: Death from falling up to 198' onto crushed rock.
- Measurements: One (1) hook with missing safety latch this hook was being used on the equipment rope system. 198' from ground to top of tower. Panel antenna assemblies weighing approximately 100#.

21. Photo Number	Location on Video
Various - see photo log	·

- 23. Employer Knowledge: Joe McCraw, supervisor for Phoenix of Tennessee, was on-site at the time of the incident, and was standing at the base of the tower as the employee was atop the platform. Mr. McCraw had years of experience in the tower industry and had control over his job-site and work-crew. The violative conditions were in plain sight and would have been caught if the required job-site inspections had been performed by the employer's representative.
- 24. Comments (Employer, Employee, Closing Conference): The employer's representative Gary Cox, tells CSHO that he wanted to write-up the Supervisor for safety violations on this job, but that he is unable to locate Mr. McCraw and that Joe has not returned to work since the incident (several months ago). The employer's representatives continue, telling CSHO that they provided grief counseling to the victim's coworkers. Then, those co-workers were fired. CSHO asks why. The employer's representatives state that they were shocked that those towerhands "did not look after each other" and so, they fired them all.

25. Other Employer Information:

26. Classificati	ion:			
Serious	Knowledge	S or O	Repeat?	Willful?
Y	Y	S	N	N

First Repeat	Second Repeat	Repeat Penalty	

- 20. Instance Description Describe the following:
 - a) Hazards-Operation/Condition-Accident: The employer is a specialty trade contractor, performing a wide variety of communication tower construction and service work. On this job the employer had been fired to change out existing panel antennas with new, larger units. The goal was increasing both coverage and capacity. After assembling the panel antennas on the ground, the antennas are raised up to the platform and installed on the top of the tower.

Tower-hands routinely use an equipment rope to raise and lower material such as but not limited to panel antenna assemblies up and down the tower. At this job-site, the equipment rope was attached to the platform at the top of the tower with an open hook (see photos) and hand-line block. This hook was missing the safety latch ("keeper"). The purpose of the safety latch is to prevent the hook from hopping off the anchorage. This is important in rigging or other instances where momentary slack or looseness in the system can allow the hook to hop up and off the anchorage, allowing the load (or empty sling) to fall.

Use of proper rigging equipment is especially important in situations where the ground employees are positioned close to, if not under, the load being raised or lowered. This is the case in cell tower construction as the available work area in this case measured only 50'x50' and the height of the tower was 198.'

The employer has two duties under the standard (1926.251(a)), namely he must inspect the rigging equipment before each use, and he must remove any defective equipment from service. In this case, there was no pre-use inspection (as evident by lack of documented inspections - see Company Safety Manuals) and the hook was left in the jobtrailer even though it was known to be bad (see interview statement of H. Grabenstein).

There was a formal safety program that contained disciplinary procedures. However, in this case, there was no evidence of any discipline until after this incident for violations such as occurred during this case. In addition, the competent person, the supervisor on site, failed to perform required inspections and did not fulfill his duties to enforce safe work procedures on the jobsite. This failure on the part of the employer's agent may negate potential claims of employee misconduct.

- b) Equipment: Bethea Tool and Equipment (BTE) hand-line block and safety hook (BTE HLB 1250) see photos. Safety latch ("keeper") on hook. Equipment rope (3/4" dynamic kernmantle).
- c) Location: Haubstadt, IN job-site.
- d) Injury/Illness: Death from being struck by falling material such as but not limited to panel antenna assemblies.
- e) Measurements: One (1) hook with missing safety latch this hook was being used on the equipment rope system. 198' from ground to top of tower. Panel antenna assemblies

weighing approximately 100#.

21. Photo Number	Location on Video
Various - see photo log	

- 23. Employer Knowledge: Travis Smith, a supervisor for Phoenix of Tennessee, tells CSHO: "The day after Jay's fall, the company sent me to all of the other tower sites in this market area to check for and remove bad climbing and rigging equipment. I found several hooks with missing keepers."
- 24. Comments (Employer, Employee, Closing Conference): During his interview with CSHO, one of the co-workers on the scene told me: I know what happened. I bet he used the bad hook you know, the one with the missing gate. I asked how come it was available for use and the employee replied, well, it was just hanging on a hook in the trailer. See interview statement of Heath Grabenstein.

25. Other Employer Information:

6. Classificat	ion:			
Serious	Knowledge	S or O	Repeat?	Willful?
Y	Y	S	N	N

First Repeat	Second Repeat	Repeat Penalty



Closing Conference Worksheet (1926 Standards

Construction Safety & Health

Inspection # 311847461
Phyenix of Tennescee dba: A

	Pho	IGNIX OF LAN	nnessee aba: AAI	
1. Safety & Health Provisions	Electrical		17. Underground Construction	
2. Environmental Controls	10. Scaffolding		18. Demolition	
3. PPE & Life Safety Equipment	Fall Protection	n	19. Blasting & Explosives	
4. Fire Protection	12. Cranes, Derrie	cks, & Hoists	20. Power Transmission	
5. Signs, Signals, & Barricades	13. Motor Vehicle		21. Rollover Protection	
6. Material Handling	14. Excavations	4	22. Stairways & Ladders	
7. Tools, Hand & Power	15. Concrete & Ma	asonry	23. Toxic/Hazardous Substances	
8. Welding & Cutting	16. Steel Erection	·	24. General Duty	
ALLEGED VIOLATIONS:				
1. Type		2. Type3		
Hazard On or about 5/16 ee used Fisk descen Climb down the	der to	an ee- c	or about 5/16/2008 funded down equiph lock/tackle not at 5000 #	nent
Location Haubstad	+ IN	Location	gubstadt IN	
Other 15 day		Other	15 days	
3. Type 24	<i>(</i> .	4. Type		
Hazard On or about 5/	16/7008	Hazard ()∞	or about 5/16/08	
the equipment ro			- Elimping doma	
was attached whose		the Ban	burnt robe dig	
The Safety Jahan	"keeper"	10 tot 115-0	an independent	
Was missing.		lifeline	attached to back	Jan V IN
		Location		- 1119
Haubstad.	+ 10		Hand Stadt IV	
Other 15 day		Other	15 days	
1. Type		2. Type		
Hamand Care		• -		
Hazard Se-was not		Hazard		
trained on use of	- <u>F156-</u>			
Location Haubstac	17 M	Location	Hans sta	
Other15_doys		Other		
Received 12		Date	<u>\$19106</u>	

The aforementioned hazards were noted by the IOSHA Compliance Officer during the onsite inspection of your worksite. The compliance officer's recommendations regarding the above referenced hazards are subject to review by the IOSHA supervisory personnel. You may receive Safety Orders and Notification of Penalties related to this IOSHA inspection.

State Form 47278 (8-95)

Notification?

OPENING CONFERENCE ATTENDANCE

<u>NAME</u>	TITLE	<u>DA</u> 1	<u>re</u>	
Scott Frosch	СSно	<u>5</u>	-17-08	
Fewn Scholz	TAA	5.	-17-08	
Tim Henley	Safety M	1gr SBA	5-17-08	
Robert Seidel	General D		5-17-08	
BRITHER BYCHON	Λ	BUNANTES	5-A-08	
John Hellyer		Dynamics		759-437-0006
Robert Hollinger	General	Dynamics	5-17-08	615-545-372
V		•		
				9 .
				
		w		

CLOSING CONFERENCE ATTENDANCE

NAME	TITLE	DATE	
Scat Fre	osch csuc	oslale i	08
Brad Fre	aman CSHo	8/19/20	800
Felicia Noth	General Dynamical	DIETURY, Bligle) §
Robert Seidel	General Dynamic	8/19/0	
Douclas B. GRAFU	on Phoenix of T	N 8/19/0	08
GARY 6X	Phoenix of	TN 8/1	9/08
	, 0	,	

Indiana Department of Labor Occurrational Safety and Health A nistration



Fatality/Catastrophe Report Fri May 30, 2008 12:01pm

Reporting ID	0551800	Previous Ac	tivity (Type & Number	0		Event Numbe		100992064		
Establishment information	Establishment Name	Phoenix of	Tennessee			Employ				
	Site Address	1732 East ' Haubstadt	Warrenton Road IN 47639	1 _x		City Code 2060		County O51		
		Site Phone	(615) 533-3077	Site FAX						
	Mailing Address	1100 Tuckahoe Drive Nashville, IN 37207								
	Event Address (if different)	1732 East Haubstadt	1732 East Warrenton Road Haubstadt, IN 47639							
Industry & Ownership	Type of Business					Primary SIC	1623	No. of Employees		
	Ownership	A. Private	Sector							
Receipt	Reported By				Date 05/16	6/08	Time			
Information	Job Title				Telephone					
Employee Representation	Group Name(s):							010		
Classification	A. Fatality									
Event Description	Event Date	Е	vent Time	Number of Fatalitie	Number of Hospitalized Injuries	NonHo	nber of espitalized juries	Number Unacc	count	
	05/16/08)6:30 pm	1	0		0	0		
102333	Type of Event Fell from Employee, Jonathan Joe Guilford age 23. Employee fell approximately 150 feet. He was coming down from the									
	Employee Ion	athan Joe Gu	nilford age 23. E	Employee fell approx	cimately 150 fo	eet. He	CI (Uy I	nng down tro apelling down	i) the	
Preliminary Description	tom of a talen	m tower afte	r shooting pre-10	e anchor point, allow	ving the emplo	yee to	тан.	•	2,000	
	tom of a talen	m tower afte load line car Supervisor	r shooting pre-joine loose from the	e anchor point, allow	CSHO(s) A	ssigned	тан.			
Description	top of a telcor load line, the	m tower afte load line car Supervisor	r shooting pre-joine loose from the	e anchor point, allow	ving the emplo	ssigned	тан.			
Description	top of a telcon load line, the Inspection Planned?	m tower afte load line car Supervisor	r shooting pre-joine loose from the	e anchor point, allow	CSHO(s) A	ssigned	тан.	u.		
Action Strategic	top of a telcon load line, the Inspection Planned?	m tower afte load line car Supervisor	r shooting pre-joine loose from the	e anchor point, allow	CSHO(s) A	ssigned	тан.			
Action Strategic Initiatives National	top of a telcon load line, the Inspection Planned?	Supervisor	r shooting pre-joine loose from the	anchor point, allow	CSHO(s) A	ssigned				
Action Strategic Initiatives National Emphasis Local	top of a telcon load line, the Inspection Planned?	Supervisor	r shooting pre-joine loose from the	anchor point, allow	CSHO(s) A	ssigned				

U. S. Department of Labor

Occupational Safety and He Administration



Investigation Summary

Fri May 30, 2008 12:38pm

Reporting ID	Investigation Summary Number	OSHA-36 Number	OSHA-36 Establishment Name
0551800	200996874	1 20992064	Phoenix of Tennessee
Event Date	05/16/08	Event Time	06:30 pm
Type of Event	Fell from		

	311847461 Phoenix of Tennessee	
Injured/Deceased Name	Jonathan Guildford	
Sex:	M. Male	
Age:	23	
Injury:	A. Fatality	
Nature:	03 Bruise/contusion/abrasion	
Part of Body:	04 Body system	
Source of Injury:	24 Hoisting apparatus	
Event Type:	05 Fall (from elevation)	
Environmental Factor:	13 Working surface or facility layout condition	
Human Factor:	06 Equipment in use not appropriate for operation or process	
Task:	A Regularly Assigned	
Substance Code:		
Occupational Code		

Abstract:

Employee #1 was on top of a monopole telcom tower taking pre-job photographs.

Employee #1 also rigged up the load line using an open hook and a simple block and tackle. After finishing these two tasks, Employee #1 began to rapel down the load line with a Fisk Descender attached to the front D-ring of his full-body harness. As he descended, the open hook rolled out of the large caribeener attached to the top of the platform. Employee #1 fell approx. 150 feet to the ground. The open hook, block and tackle, and rope landed right beside him. The large caribeener was still hooked to the top of the tower.

The open hook was missing the safety latch. The block and tackle was rated at 1,250 pounds, and was intended for lifting equipment, not for life safety purposes. The employee was not using an independent lifeline when he descended via the load line. The employee had not been properly trained in fall protection issues.

CONSTRUCTION ACCIDENT INFORMATION

Project Level Information		
Type of Construction		
B Alteration or rehabilitation		
End-use Type of Construction Site		
H Other building		
If a building site, number of stories (in feet):	1	
If a non-building structure, height (in feet):	198	
Project Cost		
B \$50,000 to \$250,000		

Victim Level Information

Victim's Name	Jonathan Guildford
Cause of Fatality / Accident	Fall from/with structure (other than roof)
Distance of the Fall (in feet)	150
	198
	Installing equipment (HVAC and other)
Contributing Operation (if different from the operation above)	

Accident Report State Form 3671 Administration

Indiana Department of Labor Occupational Safety and Health

200 996593

MOD Date		Reporting ID	2. Previous	Activity	?		3. Enter Numbe	
4. a. b.		51800	If Yes					eport) 100992064
	Establishment Name 5. Employer's ID (States option)							
			y State Zin)		17.0	it. Con	la la Causa	4. Oada
	o. Site Address (Street, City, State, Zip) 7. City Code 8. County Code 1732 East Warrenton Road Haubstadt, IN 47639 951							
9. Event Address (if different)	(Street City	State Zin)	11 77 00	2001	<u> </u>	031	
0. 200700.000 (n amorone,	(Gaoot, Oity,	otato, Ep)					
Industry &	10. Type	of Business		11. Pr	imary S	IC	12. No. of Em	plovees
Ownership	Commu	nication Towe	ers	1623			5	.p.u, 000
•	13. Owne	ership (Mark ")	(" in one box)	······································				·
			Local Governm	ent c.	State 0	Govern	ment d. Federa	l
	Agency/0			•				
Receipt	14. Repo					15. Da		
Information	Randali					5/16/0		
	17. Job T						lephone Number	
Employee	Site Sup					404-28	15-8776	
Employee Representation	·	p Name(s)						
Site	1	and Location						
Contact	Tim Brov							
ver en	21. Job T	itle					Telephone Numbe 533-3077	er
Classification	23. Mark	X in one box		*		1 - 1 -		
			rophe c. Non-Fa				d. Non-Fatality/	Catastrophe
	Reported	by Profession			or Oth	er Part	у	
	l			r Media				
Event	24. Even				Number		28. Number of	29. Number of
Description	Date 5/15/09	Time	Fatalities		pitalized		non-hospitalized	Unaccounted for
		5/16/08 6:30pm 1 Injuries 0 Injuries 0 0 30. Type of Event (e.g. fall from scaffold)						
	Fell from		iaii iioiii scaiioic	''	ė			
			tion Victim: Jo	nathan .	loe Guil	lford	Age: 25 Occurs	tion: Tower climber
	Employe	e fell in exce	ss of 200 feet w	ithout f	all prot	ection	. Deceased was	most likely on
	tower sh	ooting photo	graphs. He retu	rned af	ter worl	k and	climbed the towe	er most likely for
	this purp	ose. This is	all of the inform	ation v	ve have	at this	s time.	•
	L	, Pol						
Action		ction Planned	•		•		•	. CSHO Assigned
35. Optional Infor		No	Reason:		<u>1. l</u>	b.	a.	
	ID	Value		Ť		1 1/2	.1	
Туре	<u> </u>	value		Туре	ID	va	ılue	
		 			ļ			
		1						
		1						
		<u> </u>						
37. Comments								

INOSHA-36(S) (Rev. 1/84)